

Manuale d'uso - Effizienz Energetica / User Manual - Energy Efficiency / Manuel de l'utilisateur - L'efficacité énergétique / Handbuch - Energieeffizienz / Handboek - Energie-efficiëntie Manual - Eficiencia Energética / Manual - Eficiência Energética / Manuell - Energieeffektivitet / Manuell - Energieeffektivitet / Manuaalinen - Energy Efficiency / Manual – Energieeffektivitet Руководство - Энергоэффективность / Käsiiraamat - Energiatõhususe / Rokasgrāmata - Energieeffektivitātes

PF			IT	EN	FR	DE	NL	ES	PT	SV	NO	FI	DK	RU	ET	LV																						
S	FRANKE	Informazioni sulla scheda del prodotto secondo EN2014	Product fiche information, according to EN2014	Informations sur la fiche du produit selon EN2014	Informationen über das Produkt-Datenblatt gemäß EN2014	Informate over het productblad volgens EN2014	Información sobre la ficha del producto conforme a EN2014	Informações na ficha do produto de acordo com o norma EN2014	Uppgifter i produktinformationsblad enligt EN2014	Opplysninger på produktkortet iht. henhold til EN2014	Tietoa tuoteleistoista asetuksen (EU) 65/2014 mukaisesti	Oplysninger i databladet vedrørende produktet i henhold til EN2014	Информация в карточке изделия в соответствии с EN2014	Toote etiketi teave vastavalt EN2014	Informācija markējuma saskaņā ar EN2014																							
		300.0538.040	Supplier's name	Nom du fournisseur	Name des Zulieferers	Naam van de leverancier	Nombre del proveedor	Nome do fornecedor	Uppgifter i produktinformationsblad enligt EN2014	Opplysninger på produktkortet iht. henhold til EN2014	Tietoa tuoteleistoista asetuksen (EU) 65/2014 mukaisesti	Oplysninger i databladet vedrørende produktet i henhold til EN2014	Информация в карточке изделия в соответствии с EN2014	Toote etiketi teave vastavalt EN2014	Informācija markējuma saskaņā ar EN2014																							
M	300.0538.040	FTF624XS	Identificativo del modello	Model Identification	Identification du modèle	Ident-Daten des Modells	Identificatienummer van het model	Identificación del modelo	Identificação do modelo	Modellbeteckning	Modellbetegnelse	Tavarantomittajain nimi	Modelidentifikation	Идентификация модели	Mudel identifitseerimine	Modela identifikācija																						
			AEChood	72,2	kWh/a	Consumo energetico annuale	Annual Efficiency Consumption	Consommation d'énergie annuelle	Jährlicher Energieverbrauch	Jaarlijks energieverbruik	Consumo de energía anual	Consumo anual de energia	Årlig energiförbrukning	Årlig energiförbruk	Vuotuinen energiankulutus	Årligt energiförbruk	Годовое потребление электроэнергии	Aastane energiatarve	Gada efektiivais patēriņš																			
EEC	D	FDEhood	8,1	FDEC	E	LHhood	11	LEChood	E	GFEhood	40,0	%	GFEC	G	Qmin	135	m3/h	Qmax	250	m3/h	Qboost	N/A	m3/h	SPEmin	53	dBa	SPEmax	68	dBa	SPEboost	N/A	dBa	P0	0,0	Watt	Ps	N/A	Watt
PI	1,7	EELhood	91,9	Qbep	156,0	m3/h	Pbep	200	Pa	Qmax	250,0	m3/h	Wbep	107,0	W	WL	8,0	W	Emiddle	90	lux	Lwa	68	dBA														
PI	1,7	EELhood	91,9	Qbep	156,0	m3/h	Pbep	200	Pa	Qmax	250,0	m3/h	Wbep	107,0	W	WL	8,0	W	Emiddle	90	lux	Lwa	68	dBA														
PI	1,7	EELhood	91,9	Qbep	156,0	m3/h	Pbep	200	Pa	Qmax	250,0	m3/h	Wbep	107,0	W	WL	8,0	W	Emiddle	90	lux	Lwa	68	dBA														
PI	1,7	EELhood	91,9	Qbep	156,0	m3/h	Pbep	200	Pa	Qmax	250,0	m3/h	Wbep	107,0	W	WL	8,0	W	Emiddle	90	lux	Lwa	68	dBA														
PI	1,7	EELhood	91,9	Qbep	156,0	m3/h	Pbep	200	Pa	Qmax	250,0	m3/h	Wbep	107,0	W	WL	8,0	W	Emiddle	90	lux	Lwa	68	dBA														
PI	1,7	EELhood	91,9	Qbep	156,0	m3/h	Pbep	200	Pa	Qmax	250,0	m3/h	Wbep	107,0	W	WL	8,0	W	Emiddle	90	lux	Lwa	68	dBA														
PI	1,7	EELhood	91,9	Qbep	156,0	m3/h	Pbep	200	Pa	Qmax	250,0	m3/h	Wbep	107,0	W	WL	8,0	W	Emiddle	90	lux	Lwa	68	dBA														
PI	1,7	EELhood	91,9	Qbep	156,0	m3/h	Pbep	200	Pa	Qmax	250,0	m3/h	Wbep	107,0	W	WL	8,0	W	Emiddle	90	lux	Lwa	68	dBA														
PI	1,7	EELhood	91,9	Qbep	156,0	m3/h	Pbep	200	Pa	Qmax	250,0	m3/h	Wbep	107,0	W	WL	8,0	W	Emiddle	90	lux	Lwa	68	dBA														
PI	1,7	EELhood	91,9	Qbep	156,0	m3/h	Pbep	200	Pa	Qmax	250,0	m3/h	Wbep	107,0	W	WL	8,0	W	Emiddle	90	lux	Lwa	68	dBA														
PI	1,7	EELhood	91,9	Qbep	156,0	m3/h	Pbep	200	Pa	Qmax	250,0	m3/h	Wbep	107,0	W	WL	8,0	W	Emiddle	90	lux	Lwa	68	dBA														
PI	1,7	EELhood	91,9	Qbep	156,0	m3/h	Pbep	200	Pa	Qmax	250,0	m3/h	Wbep	107,0	W	WL	8,0	W	Emiddle	90	lux	Lwa	68	dBA														
PI	1,7	EELhood	91,9	Qbep	156,0	m3/h	Pbep	200	Pa	Qmax	250,0	m3/h	Wbep	107,0	W	WL	8,0	W	Emiddle	90	lux	Lwa	68	dBA														
PI	1,7	EELhood	91,9	Qbep	156,0	m3/h	Pbep	200	Pa	Qmax	250,0	m3/h	Wbep	107,0	W	WL	8,0	W	Emiddle	90	lux	Lwa	68	dBA														
PI	1,7	EELhood	91,9	Qbep	156,0	m3/h	Pbep	200	Pa	Qmax	250,0	m3/h	Wbep	107,0	W	WL	8,0	W	Emiddle	90	lux	Lwa	68	dBA														
PI	1,7	EELhood	91,9	Qbep	156,0	m3/h	Pbep	200	Pa	Qmax	250,0	m3/h	Wbep	107,0	W	WL	8,0	W	Emiddle	90	lux	Lwa	68	dBA														
PI	1,7	EELhood	91,9	Qbep	156,0	m3/h	Pbep	200	Pa	Qmax	250,0	m3/h	Wbep	107,0	W	WL	8,0	W	Emiddle	90	lux	Lwa	68	dBA														
PI	1,7	EELhood	91,9	Qbep	156,0	m3/h	Pbep	200	Pa	Qmax	250,0	m3/h	Wbep	107,0	W	WL	8,0	W	Emiddle	90	lux	Lwa	68	dBA														
PI	1,7	EELhood	91,9	Qbep	156,0	m3/h	Pbep	200	Pa	Qmax	250,0	m3/h	Wbep	107,0	W	WL	8,0	W	Emiddle	90	lux	Lwa	68	dBA														
PI	1,7	EELhood	91,9	Qbep	156,0	m3/h	Pbep	200	Pa	Qmax	250,0	m3/h	Wbep	107,0	W	WL	8,0	W	Emiddle	90	lux	Lwa	68	dBA														
PI	1,7	EELhood	91,9	Qbep	156,0	m3/h	Pbep	200	Pa	Qmax	250,0	m3/h	Wbep	107,0	W	WL	8,0	W	Emiddle	90	lux	Lwa	68	dBA														
PI	1,7	EELhood	91,9	Qbep	156,0	m3/h	Pbep	200	Pa	Qmax	250,0	m3/h	Wbep	107,0	W	WL	8,0	W	Emiddle	90	lux	Lwa	68	dBA														
PI	1,7	EELhood	91,9	Qbep	156,0	m3/h	Pbep	200	Pa	Qmax	250,0	m3/h	Wbep	107,0	W	WL	8,0	W	Emiddle	90	lux	Lwa	68	dBA														
PI	1,7	EELhood	91,9	Qbep	156,0	m3/h	Pbep	200	Pa	Qmax	250,0	m3/h	Wbep	107,0	W	WL	8,0	W	Emiddle	90	lux	Lwa	68	dBA														
PI	1,7	EELhood	91,9	Qbep	156,0	m3/h	Pbep	200	Pa	Qmax	250,0	m3/h	Wbep	107,0	W	WL	8,0	W	Emiddle	90	lux	Lwa	68	dBA														
PI	1,7	EELhood	91,9	Qbep	156,0	m3/h	Pbep	200	Pa	Qmax	250,0	m3/h	Wbep	107,0	W	WL	8,0	W	Emiddle	90	lux	Lwa	68	dBA														
PI	1,7	EELhood	91,9	Qbep	156,0	m3/h	Pbep	200	Pa	Qmax	250,0	m3/h	Wbep	107,0	W	WL	8,0	W	Emiddle	90	lux	Lwa	68	dBA														
PI	1,7	EELhood	91,9	Qbep	156,0	m3/h	Pbep	200	Pa	Qmax	250,0	m3/h	Wbep	107,0	W	WL	8,0	W	Emiddle	90	lux	Lwa	68	dBA														
PI	1,7	EELhood	91,9	Qbep	156,0	m3/h	Pbep	200	Pa	Qmax	250,0	m3/h	Wbep	107,0	W	WL	8,0	W	Emiddle	90	lux	Lwa	68	dBA														
PI	1,7	EELhood	91,9	Qbep	156,0	m3/h	Pbep	200	Pa	Qmax	250,0	m3/h	Wbep	107,0	W	WL	8,0	W	Emiddle	90	lux	Lwa	68	dBA														
PI	1,7	EELhood	91,9	Qbep	156,0	m3/h	Pbep	200	Pa	Qmax	250,0	m3/h	Wbep	107,0	W	WL	8,0	W	Emiddle	90	lux	Lwa	68	dBA														
PI	1,7	EELhood	91,9	Qbep	156,0	m3/h	Pbep	200	Pa	Qmax	250,0	m3/h	Wbep	107,0	W	WL	8,0	W	Emiddle	90	lux	Lwa	68	dBA														
PI	1,7	EELhood	91,9	Qbep	156,0	m3/h	Pbep	200	Pa	Qmax	250,0	m3/h	Wbep	107,0	W	WL	8,0	W	Emiddle	90	lux	Lwa	68	dBA														
PI	1,7	EELhood	91,9	Qbep	156,0	m3/h	Pbep	200	Pa	Qmax	250,0	m3/h	Wbep	107,0	W	WL	8,0	W	Emiddle	90	lux	Lwa	68	dBA														
PI	1,7	EELhood	91,9	Qbep	156,0	m3/h	Pbep	200	Pa	Qmax	250,0	m3/h	Wbep	107,0	W	WL	8,0	W	Emiddle	90	lux	Lwa	68	dBA														
PI	1,7	EELhood	91,9	Qbep	156,0	m3/h	Pbep	200	Pa	Qmax	250,0	m3/h	Wbep	107,0	W	WL	8,0	W	Emiddle	90	lux	Lwa	68	dBA														
PI	1,7	EELhood	91,9	Qbep	156,0	m3/h	Pbep	200	Pa	Qmax	250,0	m3/h	Wbep	107,0	W	WL	8,0	W	Emiddle	90	lux	Lwa	68	dBA														
PI	1,7	EELhood	91,9	Qbep	156,0	m3/h	Pbep	200	Pa	Qmax	250,0	m3/h	Wbep	107,0	W	WL	8,0	W	Emiddle	90	lux	Lwa	68	dBA														
PI	1,7	EELhood																																				

